




You provide the challenge.

We will build the solution.

Machines built around your requirements

A Choice of Technologies  
to match your requirement



Available with Pin & Blade, Tabbing Disc Head or High-Speed Disc Head.

Paper Counting Machines



Counting technology	Pin & Blade	Tabbing Disc	High Speed Disc
Maximum counting speed	2,500 spm	5,000 spm	10,000 spm
Maximum counting speed with tabbing	2,500 spm	3,000 spm	n/a
Count cycle time	3 x 500 sheets in 60 secs	4-5 x 500 sheets in 60 secs	10x100 note packs in 20 secs
Maximum pile height	220 mm	150 mm	150 mm (1000 notes)
Material weight range *	25-240 gsm	60-210 gsm (3 discs)	60-210 gsm (3 discs)
Batch size	5 / 50 -9, 999	5-9, 999	n/a
Airborne noise	up to 78dB(A)	up to 78dB(A)	up to 78dB(A)
Maximum total count	999,999	999,999	999,999
Minimum format size	60 x 120mm	60 x 120mm	90 x 45mm Special 100 Note counter Clamp
<b>All above counting technologies available for single- or double-head counting machines</b>			

Specification	Table sizes (Max Format Sizes)	More options
<b>Vicount 3 range</b>		
SFS - non airfloat	600 x 400 mm	Audible / Visual Alarm
MFS - airfloat option available	760 x 760 mm	Label Printer Kit
LFS - airfloat standard	1060 x 760 mm	MIS Data Download
Industrial - airfloat standard	1360 x 760 mm	Stamper Unit (only on Super 30)
Banknote counter - mobile table	1000 x 760 mm	
<b>Super 30 range</b>		
Airfloat standard / different coatings available	1050 x 800 mm	

## Technical Information

\* All counting speeds, cycle times and paper weight ranges stated are the results of tests carried out under factory conditions. Actual results may vary depending on paper weight, quality and presentation. Other variables such as batch size, disc type or blade selection may also affect performance.

Vacuomatic have made every effort to ensure the accuracy of the information contained within this brochure. Vacuomatic operate a research and development programme which drives continuous product improvement. The services and product specifications contained within this brochure may change without notice.

### Vacuomatic Ltd.

8 Brunel Way, Colchester, Essex, CO4 9QX, United Kingdom  
Tel: +44 (0)1206 841100 Fax: +44 (0)1206 841166  
Email: enquiries@vacuomatic.com

### Vacuomatic Maschinen GmbH

Emmericher Str. 31, D-46485 Wesel, Germany  
Tel: +49 (0)281 33995 0 Fax: +49 (0)281 33995 20  
Email: info@vacuomatic.de

[www.vacuomatic.com](http://www.vacuomatic.com)

